

Page 1/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 Cold-applied bituminous adhesive for the bonding of roofing felt and lightweight waterproofing membranes. Forms

coatings strongly bonded to the substrate, resistant to water, weak acids, alkalis and aggressive compounds contained in the soil.

- · Application of the substance / the mixture Construction chemicals
- · Uses advised against Uses other than those recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Tytan Professional Selena FM S.A.

ul. Legnicka 48 A 54-202 Wrocław, Poland

tel.: +48 71 78 38 290 e-mail: office@selena.com

www.selena.com BDO: 000136566

- · Further information obtainable from: msds@selena.com
- · 1.4 Emergency telephone number: European emergency number: 112 (24 h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

ΕU



Page 2/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 64742-95-6

EINECS: 265-199-0
Index number: 649-356-00-4
Reg.nr.: 01-2119455851-35-XXXX

Solvent naphtha (petroleum), light arom.

Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335-H336, EUH066

· Additional information:

*Note P used

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out of danger area and lay down.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Wash with plenty of water or water and soap. In cases of sickness seek medical advice (show label if possible). DO NOT use solvents or thinners.

· After eye contact:

If present, remove contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Carbon dioxide.

Foam.

Fire-extinguishing powder.

Water spray.

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)



Page 3/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 2)

In case of fire, the following can be released:

Nitrogen oxides (NOx).

Carbon monoxide (CÓ).

- 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to enter sewers / surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

At work do not eat, drink or smoke.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

EU



Page 4/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| · DNELs | | | | |
|--|------|--|--|--|
| CAS: 64742-95-6 solvent naphtha (petroleum), light arom. | | | | |
| Oral | DNEL | 11 mg/kg/Tag (General population, consumers) | | |
| Dermal | DNEL | 11 mg/kg/Tag (General population, consumers) | | |
| | | 25 mg/kg/Tag (Workers) | | |
| Inhalative | DNEL | 32 mg/m3 (General population, consumers) | | |
| | | 150 mg/m3 (Workers) | | |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Short term filter device:

Filter AX

· Hand protection



Protective gloves

FN 374

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Recommended thickness of the material: > 0.020 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Short-term contact ≥10 min (EN 374)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Page 5/10

(Contd. of page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

· Eye/face protection



Tightly sealed goggles

EN 166

· Body protection:



Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid · Colour: Solid

Odour: CharacteristicOdour threshold: Not determined

· Melting point/freezing point: Not determined

· Boiling point or initial boiling point and boiling

range Not determined

· Flammability Not determined

Lower and upper explosion limit

Lower: Not determined
 Upper: Not determined
 Flash point: ≥+31 °C
 Auto-ignition temperature: Not specified

Decomposition temperature: Not determinedpH Not applicable

· Viscosity:

Kinematic viscosity at 40 °C
 Dynamic at 20 °C:
 20.5 mm2/s
 40 - 50 mPas

· Solubility

· water: Insoluble

Partition coefficient n-octanol/water (log value) Not determined
 Vapour pressure: Not applicable

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Relative gas density

1.2-1.35 g/cm³
Not determined
Not applicable
Not determined

(Contd. on page 6)



Page 6/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 5)

- · 9.2 Other information
- · Appearance:
- · Form: Dense paste
- Important information on protection of health

and environment, and on safety.

• Ignition temperature: > 220 °C
• Explosive properties: Not determined

· Change in condition

· Evaporation rate Not applicable

· Information with regard to physical hazard classes

· Explosives Not applicable · Flammable gases Not applicable · Aerosols Not applicable · Oxidising gases Not applicable · Gases under pressure Not applicable · Flammable liquids Not applicable · Flammable solids Not applicable · Self-reactive substances and mixtures Not applicable · Pyrophoric liquids Not applicable · Pyrophoric solids Not applicable · Self-heating substances and mixtures Not applicable

Substances and mixtures, which emit flammable gases in contact with water
 Oxidising liquids
 Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives
 Not applicable
 Not applicable
 Not applicable
 Not applicable

SECTION 10: Stability and reactivity

· 10.1 Reactivity

No hazardous reactions if the regulations / notes for storage and handling of the product will be respected.

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Handle away from heat, ignition sources, sparks, ignition points, flames, static electricity.

· 10.5 Incompatible materials:

Strong acids.

Strong oxidants.

(Contd. on page 7)



Page 7/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 6)

· 10.6 Hazardous decomposition products:

Hazardous decomposition products are not known if the regulations/ guidelines for storage and handling of the product are followed.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 64742-95-6 solvent naphtha (petroleum), light arom.

Oral LD50 3,592 mg/kg (rat)
Dermal LD50 >3,160 mg/kg (rab)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 64742-95-6 solvent naphtha (petroleum), light arom.

EC50 3.2 mg/l (daphnia)

LC50 9.2 mg/l (fish)

- · 12.2 Persistence and degradability No data.
- · 12.3 Bioaccumulative potential No data available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)



Page 8/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 7)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Remove in accordance with applicable legislation.

Dispose of in a safe manner in accordance with local / national regulations.

Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.

| • | n waste catalogue |
|-----------|--|
| 15 01 10* | packaging containing residues of or contaminated by hazardous substances |
| HP14 | Ecotoxic |

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

It should be treated in the same way as product residues.

| 14.1 UN number or ID number | Ned and Carlot | |
|---|-----------------|--|
| ADR, ADN, IMDG, IATA | Not applicable | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Not applicable | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Not applicable | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Not applicable | |
| 14.5 Environmental hazards: | Not applicable. | |
| 14.6 Special precautions for user | Not applicable. | |

(Contd. on page 9)



Page 9/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
.2025 Version number 3 (replaces version 1)

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 8)

Revision: 06.03.2025

· UN "Model Regulation":

Printing date 06.03.2025

Not applicable

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006/CE Regulation, REACH 1272/2008/CE Regulation, CLP 2020/878/UE Regulation

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 10)



Page 10/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.03.2025 Version number 3 (replaces version 1) Revision: 06.03.2025

Trade name: Tytan Professional Abizol P Bituminous Compound for Coat Insulations

(Contd. of page 9)

EUH066 Repeated exposure may cause skin dryness or cracking.

· Version number of previous version: 1

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

· * Data compared to the previous version altered.

Points marked with * have changed from the previous version of the card

EU